

PATIENT INFORMATION LEAFLET

SCABIES



WHAT ARE THE AIMS OF THIS LEAFLET?

This leaflet has been written to help you understand more about scabies. It explains what it is, what causes it, what can be done about it, and where more information can be found about it.

WHAT IS SCABIES?

Scabies is an extremely common and very itchy skin rash caused by a tiny mite (insect) called *Sarcoptes scabiei*. There are records of scabies affecting humans since ancient times (at least 494 BCE).

WHAT CAUSES SCABIES?

The mites that cause scabies are tiny parasites (an organism – a parasite that lives on or inside another organism – the host) which are smaller than a pinhead. They are usually spread by direct skin-to-skin contact with someone who already has scabies and sometimes, but rarely, from shared clothing, towels or bedding. People affected by scabies have an average of about a dozen adult mites on/in their skin; a few may carry many more. **Anyone** can get scabies as it is very easily spread between people. It is **not** caused by being dirty or unhygienic.

Rarely, a variant of scabies known as 'crusted scabies' (previously called Norwegian scabies) can occur in people who have a poor immune system or who are elderly and ill due to other conditions. There are thousands of scabies mites on the skin in this variant and it is therefore highly contagious.

Scabies in animals is called 'mange'. It is caused by a different type of mite and therefore cannot live on/in humans.

IS SCABIES HEREDITARY?

No, but it is common for several members of a family to have scabies at the same time as it spreads easily when people live together.

WHAT DOES SCABIES FEEL AND LOOK LIKE?

Itching is the main symptom of scabies, and it is often worse at night. It can take about a month from the beginning of the infestation for the symptoms to appear.

The itching can affect the whole body apart from the head and neck. The elderly and infants may develop a rash in these areas. It is common for several people in the same family and their friends to become itchy at roughly the same time.

A person affected by scabies will usually have a mixture of scratch marks and tiny red spots on their skin. Scratched areas may develop crusty sores which can become infected and develop into small pus-filled spots. A widespread rash similar to [eczema](#) is very common. The itchy rash can cover much of the body, but the mites are mainly found in the folds of skin: between fingers and toes, the palms of the hands, the wrists, ankles and soles of the feet, groins and breasts. The scabies mites burrow into the skin in these areas to lay their eggs, leaving tiny spots and silver-coloured lines, called burrows, on the skin. Adult mites are tiny, only about 0.4 mm long which, when looked at through a magnifying lens or dermatoscope, appear as a tiny dark dot at the end of a silver line.



HOW IS THE DIAGNOSIS OF SCABIES MADE?

The clinician will usually be able to diagnose scabies based on the history provided and examination of the skin. You may have been in contact with someone who has been diagnosed with scabies and has the typical symptoms.

CAN SCABIES BE CURED?

Yes, with the right treatment, it clears up quickly and completely; but if it is not treated, scabies can last for months or even years.

HOW SHOULD SCABIES BE TREATED?

The best way to treat scabies and avoid recurrence is to ensure that all family members, friends, and other close contacts are treated correctly **at the same time**, even if symptoms are not present.

Several treatments are available. Effective topical treatments include permethrin cream, malathion (spray) and benzoyl benzoate (currently licensed only in Ireland). The doctor may suggest different options for women who are pregnant or breast-feeding, and for babies. These can be prescribed, bought over the counter or purchased from on-line pharmacies without a prescription.

Advice for scabies treatments:

- All people with symptoms need treatment
- All household and skin-to-skin contacts need treatment even if they have no symptoms or rash. (This will include all household members and sexual partners. It could include members of sports teams or other close contacts).
- The mites may be anywhere on the skin, so the treatment must be applied to all areas of skin, and not just to the itchy parts.

Treatment is best applied at night - see below for tips on how to use:

- Remove all clothes.
- Wash before treatment with cool (not hot) water ensuring the skin creases and areas under nails are cleaned thoroughly. It is best to cut nails short.
- Apply treatment to clean, cool, dry skin.
- Apply to **all skin** including all of the body, neck, scalp and face (only avoid areas around the eyes). The product advice may suggest not treating the scalp and face, but it is best that all these areas are treated.

Certain areas of skin need particular attention for treatment to be successful.

Ensure the product is applied generously to:

- skin between fingers and toes
- genital skin
- skin behind ears
- nipples
- under finger and toenails (use of a soft toothbrush can help with this)
- skin under jewellery, ideally remove all jewellery
- Apply the product to soles of feet last
- Once applied, leave 10-15 minutes for product to dry before dressing.
- Treatment should be left on the skin for **at least 12 hours**.
- **Some people may benefit from further application 12 hours later. This will ensure the medication is on their skin for 24 hours**
- If any skin is washed during this time (this is most likely to be the hands), the product should be reapplied.
- The product should be washed off without soap initially, just water. Once completely showered, soap and/or moisturisers or emollients can be used.
- Once treatment has been used you can return to all normal activities.



- Treatments should be repeated as above one week later to ensure both the scabies mite and the scabies eggs are effectively gone.

For certain forms of scabies, a tablet called Ivermectin can be prescribed sometimes.

In most cases the mites will not survive for long on sheets, towels, and clothes. Normal washing of clothes and sheets is recommended at the same time as treatments. Any clothes that cannot be washed should not be worn for 3 days.

When scabies has been caught from a sexual partner, a full sexually transmitted infection (STI) check is advised.

WHAT SHOULD I DO IF MY SYMPTOMS DO NOT IMPROVE?

Even after the mites have been killed by treatment, the itching usually carries on for a few weeks before settling.

Scabies treatments can cause skin irritation: this can be one cause of an ongoing rash and itch. Moisturisers ([emollients](#)), topical corticosteroids ([steroid creams or ointments](#)) and antihistamine tablets may be used if needed.

A recurrence of scabies is, unfortunately, quite common, especially if not all contacts are treated at the same time, so treatment may need to be repeated.

If skin problems do not settle 6-8 weeks after treatment or if there are any ongoing concerns, then a review of the skin by a health worker should be arranged.

WHERE CAN MORE INFORMATION BE FOUND ABOUT SCABIES?

Website links to other relevant sources:

<https://bspad.co.uk/scabies/>

<https://www.bashghguidelines.org/media/1237/scabies-update-september-2016-lay-reviewed-september-2016-2.pdf>

<http://www.aad.org/dermatology-a-to-z/diseases-and-treatments/q--t/scabies>

www.medinfo.co.uk/conditions/scabies.html

Please note that the British Association of Dermatologists (BAD) provides web links to additional resources to help people access a range of information about their treatment or skin condition. The views expressed in these external resources may not be shared by the BAD or its members. The BAD has no control of and does not endorse the content of external links.



This leaflet aims to provide accurate information about the subject and is a consensus of the views held by representatives of the British Association of Dermatologists and the British Society of Paediatric and Adolescent Dermatology: individual patient circumstances may differ, which might alter both the advice and course of therapy given to you by your doctor.

This leaflet has been assessed for readability by the British Association of Dermatologists' Patient Information Lay Review Panel

BRITISH ASSOCIATION OF
DERMATOLOGISTS
PATIENT INFORMATION LEAFLET
PRODUCED | AUGUST 2004
UPDATED | MAY 2010, SEPTEMBER 2013,
SEPTEMBER 2016, SEPTEMBER 2020,
OCTOBER 2023
NEXT REVIEW DATE | OCTOBER 202

